



## **Drought Contingency Plan and Emergency Conditions**

The Texas Water Company DBA SJWTX,  
INC. CCN #10692

### **Bandera County**

Bridlegate: PWS ID 0100092

Latigo Ranch: PWS ID 0100096

### **Blanco County**

Rust Ranch: PWS ID 0160019

### **Comal County**

Canyon Lake Shores: PWS ID 0460019

Elm Ridge: PWS ID 0460202

Glenwood: PWS ID 0460246

North Point: PWS ID 0460235

Rockwall Ranch: PWS ID 0460250

Texas Country Water: PWS ID 0460223

Triple Peak: PWS ID 0460172

### **Kendall County**

Kendall West: PWS ID 1300033

### **Medina County**

Summit Ridge: PWS ID 1630048

Approved by the TCEQ March 2003 Amended:  
March 2009; September 2013; July 2014; April 2019; October 2020; April 2022; April 2024;  
May 2025

# Table of Contents

Page 2	Introduction
Page 2	Purpose
Page 2	Application
Page 2	Definitions
Page 2	Implementation
Page 4	Public Involvement
Page 4	Public Awareness
Page 5	Demand Management Program
	<b>Page 5 Drought Stage 0</b>
Page 5	General Landscape Watering
Page 5	Athletic Fields
Page 5	Eating Establishments
Page 5	Fire Hydrants
Page 5	Golf Courses
Page 5	Hotels/Motels
Page 6	Pools
	<b>Page 6 Drought Stage 1</b>
Page 6	Initiating Drought Stage 1
Page 7	Response Measures and Target Reductions
	<b>Page 8 Drought Stage 2</b>
Page 8	Initiating Drought Stage 2
Page 9	Response Measures and Target Reductions
	<b>Page 9 Drought Stage 3</b>
Page 9	Initiating Drought Stage 3
Page 9	Response Measures and Target Reductions
	<b>Page 12 Drought Stage 4</b>
Page 12	Initiating Drought Stage 4
Page 13	Response Measures and Target Reductions
	<b>Page 14 Drought Stage 5</b>
Page 14	Initiating Drought Stage 5
Page 14	Response Measures and Target Reductions
Page 14	Emergency Stage (Supply Management)
Page 14	Initiating and Terminating Emergency Conditions
Page 15	Response Measures and Target Reductions
Page 15	Penalties for Violations
Page 15	Retail
Page 16	Wholesale and Bulk Water Customers
Page 16	Exemptions or Waivers
Page 16	Retail
Page 16	Wholesale and Bulk Water Customers
Page 17	Implementation
Page 17	Wholesale Water Customer Education
Page 17	Severability

## **Introduction**

The Drought Contingency Plan (“the Plan”) dictates the implementation of water use restrictions designed to achieve immediate reductions in water use; such reductions are needed to manage and mitigate against drought and/or emergency conditions. Such conditions may occur because of demand- or supply-side challenges. The degree of restriction imposed correlates to the severity of the triggering condition.

## **Purpose**

The purpose of the Plan is to identify clear strategies for maintaining safe and reliable water supply for the Texas Water Company’s (TWC) communities in the face of drought and/or other emergency conditions. The Plan is structured to meet or exceed requirements for continuous and adequate service during drought and/or emergency conditions as established by the Texas Commission on Environmental Quality (TCEQ).

## **Application**

The provisions of this Plan shall apply to all customers utilizing water provided by the following TWC water systems: 0460019 (Canyon Lake Shores); 0460172 (Triple Peak); 0460246 (Glenwood); 0460235 (North Point); 0160019 (Rust Ranch); 0460223 (Texas Country Water) 1300033 (Kendall West); 1630048 (Summit Ridge); 0100092 (Bridlegate); 0100096 (Latigo Ranch); 0460250 (Rockwall Ranch); and any system operated by TWC which does not have its own state-approved Drought Contingency Plan. The terms “person” and “customer” as used in the Plan include individuals, corporations, partnerships, associations, wholesale and all other legal entities.

## **Definitions**

**Bulk Water** - A volume of water intended for potable uses which is stored and transported in a portable tank or vessel. The physical transport of drinking water, by a vehicle having a permanently mounted or detachable water tank (e.g., tanker truck or “water buffalo”), from an approved source of supply for the purpose of human consumption. The transport vehicle may have pumps, hoses, and other equipment for distribution of drinking water. Bulk water customers, who are also considered wholesalers under the TCEQ rules, may also be subject to Wholesale Customer requirements.

**Pro Rata Water Allocation** – In accordance with Texas Water Code Section 11.039, the President, General Manager, or their designee is hereby authorized to initiate allocation of water supplies on a pro rata basis.

**Retail** – a single family residential, any person, firm, partnership, corporation, municipality, cooperative, organization, or governmental agency to which drinking water is provided with services by any retail public utility.

Water Waste - Any intentional, known, or negligent act that results in or causes a non-beneficial use of water. This includes but is not limited to: non-emergency landscape watering outside designated watering times; failure to repair a controllable leak; water runoff or overspray onto impervious surfaces from a sprinkler, irrigation system, or hose; landscape watering during or shortly after a rain; any use that violates or contradicts restrictions imposed under the conditions stated in this Plan.

Water Violation - It shall be a water violation for any individual receiving water service from Texas Water Company to knowingly or unknowingly allow or cause any non-compliance of the Drought Contingency Plan.

Wholesale - A specific contractual agreement between an individual and/or entity that for compensation supplies water to another for resale to the public for human consumption. Every wholesale water contract entered into or renewed after adoption of the Plan, including contract extensions, that in case of a shortage of water resulting from drought, the water to be distributed shall be divided in accordance with Texas Water Code, §11.039. Wholesale customers are required to adopt and follow a state-approved Drought Contingency Plan. This Plan must require its customers to reduce use in the event that TWC enters into a drought stage. In the absence of a state-approved Drought Contingency Plan, wholesale customers must follow TWC's Plan.

## **Implementation**

The President or their designee has the authority to implement the Plan. Implementation will be when the President, or his/her designee, determines that there are critical water shortage conditions, or in accordance with the stages of drought or emergency conditions as outlined in the Plan and in conjunction with the Drought Contingency Plans of the Guadalupe Blanco River Authority ("the GBRA"), the Comal Trinity Groundwater Conservation District ("the CTGCD"), the Bandera County River Authority and Groundwater District ("the BCRA GD"), the Medina County Groundwater Conservation District ("the MCGCD"), the Cow Creek Groundwater Conservation District ("the CCGCD"), the Blanco-Pedernales Groundwater Conservation District ("the BPGCD"), and any other groundwater conservation district that may develop Drought Contingency Plans relevant to those systems stated in section 4. Application, above.

The Vice President of Operations will monitor usage patterns, surface water and groundwater (aquifer) levels, and weather conditions in order to identify when a triggering condition occurs and to make recommendations to the President regarding Plan implementation.

Once the triggering criteria occurs, TWC will implement the corresponding restrictions stated in this Plan. The initiation of a Stage may be delayed if there is a reasonable possibility the water system performance will not be compromised by the condition. Notice to the retail and wholesale customers will be provided when entering a Stage. This notification will be sent out in one or more of the following forms: e-mail, mail (included in bill), media (social media, local newspaper, radio, television), and telephone.

Notice will include the following information:

- a) The date rationing shall begin
- b) The Stage Level of rationing to be employed
- c) Penalty for violations of the rationing program
- d) Identification of the affected area

Stages will be terminated based on sustained improvements in the triggering criteria as stated below. The Vice President of Operations may suspend or modify the restriction based on their sound professional judgment in finding that the triggering criteria that resulted in entering a Stage no longer exists and it is deemed unlikely the same or a different triggering criteria would occur immediately after suspension or modification. Written notice of the changes in the restrictions shall be provided to retail and wholesale customers, media, etc. Upon termination of a Drought Stage, the preceding Stage becomes operative.

**The drought and emergency conditions, as they exist, will dictate the stage of the Plan to be implemented. Though drought and emergency conditions covered by this Plan are defined below, TWC may elect to enter a Stage or impose additional restrictions for reasons not expressly stated in this Plan if, after consulting with regulatory agencies and/or regional utilities and reviewing the US Drought Monitor and other key data, it is determined that entering a Stage is necessary to support the health and quality of regional resources, and regional messaging about conserving water during droughts.**

## **Public Involvement**

TWC provided opportunity for the public to provide input into the preparation of the Drought Contingency Plan on the TWC website, [www.txwaterco.com](http://www.txwaterco.com). The website described the reasons and methodology for the development of the Drought Contingency Plan, directions for obtaining a copy of the draft plan, the period for public comment and input on plan development and contact information to deliver comments and request additional information.

## **Public Awareness**

TWC staff will develop public awareness notices, bill stuffers, and other methods of communication that will provide on-going education to the community regarding the importance of conservation. The Plan will be submitted to the South-Central Texas Regional Water Planning Group (Region L), the Plateau Regional Water Planning Group (Region J), and to GBRA for review and comment. The Plan will be reviewed and evaluated on a regular basis of every five years unless conditions call for more frequent amendments.

## Demand Management Program

### Drought Stage 0

Water Waste is prohibited, independent of any Stage or condition.

#### General Landscape Watering

Unless supplanted by Drought or Emergency State conditions, landscape watering done by automatic, in-ground, or sprinkler systems, hand watering, soaker hose, bucket, and/or drip irrigation is limited to two days per week according to the street address as follows.

- If there is no street address associated with the property, such as a parkway, or if there is more than one street address associated with a single contiguous property the irrigation days are Monday and Friday.
- All landscape watering should occur between 7:00 a.m. to 10:00 a.m. OR 7:00 p.m. to 10:00 p.m., unless otherwise stated by TWC as needed.

Last Digit of Address	Watering Day
0, 2, 4, 6, 8	Monday
1, 3, 5, 7, 9	Tuesday
0, 2, 4, 6, 8	Thursday
1, 3, 5, 7, 9	Friday

Athletic Fields - Watering should follow a no more than twice per week schedule per irrigated area unless the athletic fields are used for organized sports practice, competition, or exhibition events when irrigation outside of the standard weekly schedule is necessary to protect the health and safety of the players, staff, or officials present for the athletic event. All ornamental landscape areas around facilities with athletic fields shall follow general landscape irrigation restrictions.

Eating Establishments - Restaurants, bars, and other commercial food or beverage establishments are encouraged not to provide drinking water to customers unless a specific request is made by the customer for drinking water.

Fire Hydrants - In all stages of drought, the use of water from fire hydrants shall be prohibited for landscape irrigation, filling pools, operating fountains, and car washing. Water should be transported only for the purposes of firefighting or providing minimal water needed for indoor use where auxiliary sources are inadequate and activities necessary to maintain public health, safety and welfare, or for construction use. Transport of water other than for firefighting requires a variance and a water meter.

Golf Courses - Golf courses should develop a drought contingency plan that meets the minimum water reduction target set for each of the Drought Stages.

Hotels/Motels - The owner or operator of a hotel, motel short-term rental or other establishment that offers or provides lodging or rental accommodations for compensation are encouraged to offer a towel and linen reuse water conservation option to its lodgers,

renters, or customers and maintain in each applicable guest room, suite, or property informational signage to communicate information relating to this requirement and to offer the opportunity for guest participation.

Pools - Draining and re-filling is permitted only onto pervious surfaces or onto a surface where water will be transmitted directly to a pervious surface, and only if:

- Draining excess water from pool due to rain in order to lower water to maintenance level;
- Repairing, maintaining, or replacing pool components that have become hazardous;
- or Repair of a pool leak.

Public/community swimming pools are allowed to fill or replenish water to maintain safe levels of water quality for human contact and for maintenance as outlined above.

## **Drought Stage 1**

**Initiation:** Customers shall adhere to the Stage 1 Drought Response Measures when one or a combination of such triggering criteria occurs.

### **Bandera County service area (PWS IDs 0100092 and 0100096):**

- a) Water consumption has reached 70 percent of daily maximum production averaged over three consecutive days. There is an extended period (at least (4) weeks) of below normal precipitation.
- b) US Drought Monitor declares Moderate Drought conditions for Bandera County, Texas.
- c) BCRAGD declares Moderate Drought conditions.

### **Blanco County and Comal County service area (PWS IDs 0460019, 0460172, 0460246, 0460235, 0160019, 0460223, 0460250, and 0460202):**

- a) Water consumption has reached 70 percent of daily maximum production averaged over three consecutive days.
- b) There is an extended period (at least (4) weeks) of below normal precipitation.
- c) State Well 68-07-407 drops to three hundred and twenty-five (325) feet below the land surface for a 10-day rolling average.
- d) US Drought Monitor declares Moderate Drought conditions for Comal County, Texas.
- e) Canyon Reservoir water surface elevation drops to a level of 895 ft. msl or lower (ONLY APPLICABLE FOR PWS IDs 0460019, 0460172, 0460246)

### **Kendall County service area (PWS ID 1300033):**

- a) Water consumption has reached 70 percent of daily maximum production averaged over three consecutive days.
- b) There is an extended period (at least (4) weeks) of below normal precipitation.
- c) Canyon Reservoir water surface elevation drops to a level of 895 ft. msl or lower.

- d) US Drought Monitor declares Moderate Drought conditions for Kendall County, Texas.
- e) State Well 68-10-616 drops to four hundred and thirty-five (435) feet below the land surface for a 10-day rolling average.

**Medina County service area (PWS 1630048):**

- a) Water consumption has reached 70 percent of daily maximum production averaged over three consecutive days.
- b) There is an extended period (at least (4) weeks) of below normal precipitation.
- c) US Drought Monitor declares Moderate Drought conditions for Medina County, Texas.

**Response Measures and Target Reductions**

Reduction Goal: 10%

**Restrictions:** All requirements from Stage 0 are also in effect during Stage 1 with the following modifications and additions:

- All landscape watering for residential and commercial properties is reduced to once a week according to the following and may be subject to additional time-of-day and durational restrictions.
- If there is no street address associated with the property, such as a parkway, or if there is more than one street address associated with a single contiguous property, the irrigation day on Monday.

<b>Last Digit of Address</b>	<b>Watering Day</b>
0, 2, or 4	Monday
1 or 3	Tuesday
6 or 8	Thursday
5, 7, or 9	Friday

- TWC should reduce flushing operations.
- TWC will raise awareness about opportunities for voluntary conservation and increase education efforts.
- If needed, all landscape watering may be further restricted to certain times of day and certain durations.
- Bulk customers will adjust the time at which they pull water from TWC's system as to avoid TWC's peak demand hours. Bulk customers may pull water from TWC's system from 9 a.m. to 4 p.m.

**Engagement**

- TWC should increase customer communications and alerts regarding Stage I conditions.
- TWC should encourage retail customers to voluntarily reduce consumption in other ways.



- The President or their designee(s) may contact wholesale and bulk water customers to discuss water supply and/or demand conditions and to request that wholesale and bulk water customers initiate voluntary measures to reduce water use (e.g., implement Stage 1 of the customer's Drought Contingency plan).

## **Drought Stage 2**

**Initiation:** Customers shall adhere to the Stage 2 Drought Response Measures when one or a combination of such triggering criteria occurs.

### **Bandera County service area (PWS IDs 0100092 and 0100096):**

- a) Water consumption has reached 75 percent of daily maximum production averaged over three consecutive days.
- b) There is an extended period (at least (8) weeks) of below normal precipitation.
- c) US Drought Monitor declares Severe Drought conditions for Bandera County, Texas.
- d) BCRAGD declares Severe Drought conditions.

### **Blanco County and Comal County service area (PWS IDs 0460019, 0460172, 0460246, 0460235, 0160019, 0460223, 0460250, and 0460202):**

- a) Water consumption has reached 75 percent of the available production capacity averaged over three consecutive days.
- b) There is an extended period (at least (8) weeks) of below normal precipitation.
- c) State Well 68-07-407 drops to three hundred and thirty-five (335) feet below the land surface for a 10-day rolling average.
- d) US Drought Monitor declares Severe Drought conditions for Comal County, Texas.
- e) ONLY APPLICABLE FOR PWS IDs 0460019, 0460172, 0460246: Canyon Reservoir water surface elevation drops to a level of 890 ft. msl or lower.

### **Kendall County service area (PWS ID 1300033):**

- a) Water consumption has reached 75 percent of daily maximum production averaged over three consecutive days.
- b) There is an extended period (at least (8) weeks) of below normal precipitation.
- c) Canyon Reservoir water surface elevation drops to a level of 890 ft. msl or lower.
- d) US Drought Monitor declares Severe Drought conditions for Kendall County, Texas.
- e) State Well 68-10-616 drops to four hundred and forty-five (445) feet below the land surface for a 10-day rolling average.

### **Medina County service area (PWS 1630048):**

- a) Water consumption has reached 75 percent of daily maximum production averaged over three consecutive days.
- b) There is an extended period (at least (8) weeks) of below normal precipitation.
- c) US Drought Monitor declares Severe Drought conditions for Medina County, Texas.

## Response Measures and Target Reductions

Reduction Goal: 20%

**Restrictions:** All the requirements from year-round rules through Stage 1 are also in effect during Stage 2 with the following modifications and additions:

- All landscape watering for residential and commercial properties is reduced to every other week beginning the week that is designated by TWC after Stage 2 conditions have been declared according to the following schedule and may be subject to additional time-of-day and durational restrictions.
- If there is no street address associated with the property, such as a parkway, or if there is more than one street address associated with a single contiguous property, the irrigation day is Monday.

Last Digit of Address	Watering Day
0, 2, or 4	Monday
1 or 3	Tuesday
6 or 8	Thursday
5, 7, or 9	Friday

## Engagement

- TWC should increase customer communications and alerts regarding Stage 2 conditions.
- TWC should begin targeted outreach to high-use areas
- TWC should encourage retail customers to voluntarily reduce consumption in other ways.
- The President, or his/her designee(s), may initiate weekly contact with wholesale and bulk water customers to discuss water supply and/or demand conditions and the possibility of pro rata curtailment of water diversions and/or deliveries.
- The President, or his/her designee(s), may request wholesale and bulk water customers to initiate mandatory measures to reduce non-essential water use.

## Drought Stage 3

**Initiation:** Customers shall adhere to the Stage 3 Drought Response Measures when one or a combination of such triggering criteria occurs.

### Bandera County Service Area (PWS IDs 0100092 and 0100096):

- a) Water consumption has reached 80 percent of daily maximum production averaged over three consecutive days.
- b) Water consumption of 80 percent of the maximum production capacity and water storage levels in the system are unable to recover in one 24-hour period.
- c) There is an extended period (at least (12) weeks) of below normal precipitation.
- d) US Drought Monitor declares Extreme Drought conditions for Bandera County, Texas.

- e) BCragd declares Extreme Drought conditions.

**Blanco County and Comal County service area (PWS IDs 0460019, 0460172, 0460246, 0460235, 0160019, 0460223, 0460250, and 0460202):**

- a) Water consumption has reached 80 percent of the maximum production capacity averaged over three consecutive days.
- b) Water consumption of 80 percent of the maximum production capacity and water storage levels in the system are unable to recover in one 24-hour period.
- c) There is an extended period (at least (12) weeks) of below normal precipitation.
- d) State Well 68-07-407 drops to three hundred and forty-five (345) feet below the land surface for a 10-day rolling average.
- e) US Drought Monitor declares Extreme Drought conditions for Comal County, Texas.
- f) ONLY APPLICABLE FOR PWS IDs 0460019, 0460172, 0460246: Canyon Reservoir water surface elevation drops to a level of 885 ft. msl or lower.

**Kendall County service area (PWS ID 1300033):**

- a) Water consumption has reached 80 percent of daily maximum production averaged over three consecutive days.
- b) Water consumption of 80 percent of the maximum production capacity and water storage levels in the system are unable to recover in one 24-hour period.
- c) There is an extended period (at least (12) weeks) of below normal precipitation.
- d) Canyon Reservoir water surface elevation drops to a level of 885 ft. msl or lower.
- e) US Drought Monitor declares Extreme Drought conditions for Kendall County, Texas.
- f) State Well 68-10-616 drops to four hundred and fifty-five (455) feet below the land surface for a 10-day rolling average.

**Medina County service area (PWS 1630048):**

- a) Water consumption has reached 80 percent of daily maximum production averaged over three consecutive days.
- b) Water consumption of 80 percent of the maximum production capacity and water storage levels in the system are unable to recover in one 24-hour period.
- c) There is an extended period (at least (12) weeks) of below normal precipitation.
- d) US Drought Monitor declares Extreme Drought conditions for Medina County, Texas.

**Response Measures and Target Reductions**

Reduction Goal: 30%

**Restrictions:** All requirements from year-round rules through Stage 2 are also in effect during Stage 3 with the following modifications and additions:

- All landscape watering for residential and commercial properties is reduced to every other week beginning the week that is designated by TWC after Stage 3 conditions have

been declared according to the following schedule and may be subject to additional time-of-day and durational restrictions.

- If there is no street address associated with the property, such as a parkway, or if there is more than one street address associated with a single contiguous property, the irrigation day is Monday.

Last Digit of Address	Watering Day
0, 2, or 4	Monday
1 or 3	Tuesday
6 or 8	Thursday
5, 7, or 9	Friday

- Filling of swimming pools is prohibited; however, customers can top off their pools with water. Public/community swimming pools may be exempt from this prohibition to maintain safe levels of water quality for human contact.
- Car washing is only allowed at commercial car wash facilities that recycle water.
- Pressure washing is prohibited, but pressure washing may be allowed for health and safety purposes only. Pressure washing equipment must be fitted with a spray nozzle that does not use more than 3.5 gallons of water per minute and has a trigger shut-off.

### **Engagement**

- TWC should increase customer communications and alerts regarding Stage 3 conditions.
- TWC should increase and expand targeted outreach to high-use areas
- TWC should encourage retail customers to voluntarily reduce consumption in other ways.
- The President, or his/her designee(s), may initiate weekly contact with wholesale and bulk water customers to discuss water supply and/or demand conditions and the possibility of pro rata curtailment of water diversions and/or deliveries.
- Wholesale and bulk water customers shall initiate mandatory measures to reduce non-essential water use.
- The President, or his/her designee(s), may initiate preparations for the implementation of pro rata curtailment of water diversions and/or deliveries by preparing a monthly water usage allocation baseline for each wholesale and bulk water customer according to the procedures specified in the plan.
- The President, or his/her designee(s), may initiate use of alternative water sources and/ or alternative delivery mechanisms with the prior approval of the executive director of the Texas Commission on Environmental Quality as appropriate (e.g., interconnection with another water system, temporary use of a non-municipal water supply, use of reclaimed water for non- potable purposes, etc.).

**Drought Stage 4**

**Initiation:** Customers shall adhere to the Stage 4 Drought Response Measures when one or a combination of such triggering criteria occurs.

**Bandera County service area (PWS IDs 0100092 and 0100096):**

- a) Water consumption has reached 85 percent of daily maximum production averaged over three consecutive days.
- b) Water consumption of 85 percent of the maximum production capacity and water storage levels in the system are unable to recover in one 24-hour period.
- c) There is an extended period (at least (16) weeks) of below normal precipitation.
- d) US Drought Monitor declares Exceptional Drought conditions for Bandera County, Texas.
- e) BCRAGD declares Exceptional Drought conditions.
- f) The President, or his/her designee, determines that there are critical water shortage conditions.

**Blanco County and Comal County service area (PWS IDs 0460019, 0460172, 0460246, 0460235, 0160019, 0460223, 0460250, and 0460202):**

- a) Water consumption has exceeded 85 percent or more of the maximum production capacity averaged over three consecutive days.
- b) Water consumption of 85 percent of the maximum production capacity and water storage levels in the system are unable to recover in one 24-hour period.
- c) There is an extended period (at least (16) consecutive weeks) of below normal precipitation.
- d) State Well 68-07-407 drops to three hundred and fifty-five (355) feet below the land surface for a 10-day rolling average.
- e) US Drought Monitor declares Exceptional Drought conditions for Comal County, Texas.
- f) ONLY APPLICABLE FOR PWS IDs 0460019, 0460172, 0460246: Canyon Reservoir water surface elevation drops to a level of 880 ft. msl or lower.
- g) The President, or his/her designee, determines that there are critical water shortage conditions.

**Kendall County service area (PWS ID 1300033):**

- a) Water consumption has reached 85 percent of daily maximum production averaged over three consecutive days.
- b) Water consumption of 85 percent of the maximum production capacity and water storage levels in the system are unable to recover in one 24-hour period.
- c) Canyon Reservoir water surface elevation drops to a level of 880 ft. msl or lower.
- d) There is an extended period (at least (16) weeks) of below normal precipitation.
- e) US Drought Monitor declares Exceptional Drought conditions for Kendall County, Texas.

- f) State Well 68-10-616 drops to four hundred and sixty-five (465) feet below the land surface for a 10-day rolling average.
- g) The President, or his/her designee, determines that there are critical water shortage conditions.

**Medina County service area (PWS 1630048):**

- a) Water consumption has reached 85 percent of daily maximum production averaged over three consecutive days.
- b) Water consumption of 85 percent of the maximum production capacity and water storage levels in the system are unable to recover in one 24-hour period.
- c) There is an extended period (at least (16) weeks) of below normal precipitation.
- d) US Drought Monitor declares Exceptional Drought conditions for Medina County, Texas
- e) The President, or his/her designee, determines that there are critical water shortage conditions.

**Whenever critical water shortage conditions exist, the President shall:**

- a) Assess the severity of the problem and identify the actions needed and time required to solve the problem.
- b) Inform the utility director or other responsible official of each wholesale and bulk water customer by telephone or in person and suggest actions, as appropriate, to alleviate problems (e.g., notification of the public to reduce water use until service is restored).
- c) If appropriate, notify city, county, and/or state emergency response officials for assistance.
- d) Undertake necessary actions, including repairs and/or clean-up as needed.
- e) Prepare a post-event assessment report on the incident and critique of emergency response procedures and actions.
- f) Emergency conditions declared by the GBRA that may impact TWC customers.

**Response Measures and Target Reductions**

Reduction Goal: 40%

**Restrictions:** All requirements from year-round rules through Stage 3 are also in effect during Stage 4, with the following modifications and additions:

- All outside water use is prohibited, except for uses necessary to sustain livestock.
- Any additional restrictions or measures deemed necessary to protect public health and safety.

**Engagement**

- TWC should increase customer communications and alerts regarding Stage 4 conditions.
- TWC should increase targeted outreach to high-use areas.

- TWC should encourage retail customers to voluntarily reduce consumption in other ways.
- The President, or his/her designee(s), may initiate weekly contact with wholesale and bulk water customers to discuss water supply and/or demand conditions and the possibility of pro rata curtailment of water diversions and/or deliveries.
- Wholesale and bulk water customers shall initiate mandatory measures to reduce non-essential water use.
- The President, or his/her designee(s), may implement pro rata curtailment of water diversions and/or deliveries by preparing a monthly water usage allocation baseline for each wholesale and bulk water customer according to the procedures specified in the plan.
- The President, or his/her designee(s), may initiate use of alternative water sources and/ or alternative delivery mechanisms with the prior approval of the executive director of the Texas Commission on Environmental Quality as appropriate (e.g., interconnection with another water system, temporary use of a non-municipal water supply, use of reclaimed water for non- potable purposes, etc.).”

### **Drought Stage 5**

**Initiation:** Customers shall adhere to the Stage 5 Drought Response Measures when one or a combination of such triggering criteria occurs.

**Blanco County and Comal County service area (PWS IDs 0460019, 0460172, 0460246, 0460235, 0160019, 0460223, 0460250, and 0460202):**

- a) ONLY APPLICABLE FOR PWS IDs 0460019, 0460172, 0460246: Canyon Reservoir water surface elevation drops to a level of 865 ft. msl or lower.

**Kendall County service area (PWS ID 1300033):**

- a) Canyon Reservoir water surface elevation drops to a level of 865 ft. msl or lower.

### **Response Measures and Target Reductions**

Reduction Goal: 50%

**Restrictions:** All requirements from year-round rules through Stage 4 are also in effect during Stage 5.

### **Emergency Stage (Supply Management)**

#### **Initiation:**

- a) Failure of a major component of the system or an event which reduces the minimum residual pressure in the system below 20 psi for a period of 24 hours or longer; or
- b) The water level in any of the water storage tanks cannot be adequately replenished for three consecutive days; or
- c) Emergency conditions declared by the GBRA that may impact TWC customers; or
- d) System and/or system component failures such as major water line breaks, insufficient treatment plant conditions, or major pump failures, and related; or

- e) Any system failure occurs while in a Drought Stage; or
- f) Other unforeseen events which could cause imminent health or safety risks to the public such as contamination events.
- g) “The President, or his/her designee, determines that there are critical water shortage conditions”

**Termination may occur when:** TWC determines that the triggering criteria is resolved, is unlikely to occur again within 7 days, and no other triggering criteria are likely to occur.

**Restrictions:** Any combination of the restrictions stated in this plan may be put in place in order to manage emergency conditions in a way that prevents any harm to public health or safety. Restrictions will be determined by the potential impact of the condition on customers. The Vice President of Operations has authority to institute any additional restrictions not stated in this Plan if necessary to manage the impact of emergency conditions.

#### **Engagement**

- TWC should ramp up customer communications and alerts regarding the triggering criteria and TWC’s response to those criteria
- The President, or his/her designee(s), may initiate use of alternative water sources and/ or alternative delivery mechanisms with the prior approval of the executive director of the Texas Commission on Environmental Quality as appropriate (e.g., interconnection with another water system, temporary use of a non-municipal water supply, use of reclaimed water for non- potable purposes, etc.).”

## **Penalties for Violations**

### **Retail**

TWC will send notice for the first two violations and may send additional notices for violations thereafter. TWC may, at its discretion, install a flow restrictor in the customer’s service line for the second or subsequent violations. Flow restrictors may also be installed at retail customer sites that have a pattern of repeated and/or continued violations of this Plan. Customers will be charged \$150 for the first attempt or installation of the flow restrictor within a rolling 12-month period. Customers will be charged \$300 for the second attempt or installation of the flow restrictor within a rolling 12-month period. Customers will be charged \$500 for the third attempt or installation of the flow restrictor within a rolling 12-month period.

TWC may, at its discretion, discontinue water service for repeated and/or continued violations of this Plan. TWC may also discontinue water service if a flow restrictor cannot be installed due to physical limitations of the water service, including but not limited to line size, landscaping obstructions, line placement, etc.

### **Wholesale and Bulk Water Customers**



These provisions apply to all wholesale and bulk water customers of TWC.

During any period when pro rata allocation of available water supplies is in effect, wholesale customers shall pay the following surcharges on excess water diversions and/or deliveries:

- 150 percent of the normal water charge per acre-foot for water diversions and/or deliveries in excess of the monthly allocation up through 10 percent above the monthly allocation.
- 200 percent of the normal water charge per acre-foot for water diversions and/or deliveries in excess of the monthly allocation more than 10 percent above the monthly allocation.
- The above surcharges shall be cumulative.

## **Exemptions or Waivers**

### **Retail**

TWC may grant exemptions or waivers for individuals that can demonstrate just cause for outside or other uses of water other than those permitted by this Rationing Program. Some examples may include no other source of water for livestock, for business purposes, for other planned construction or improvements already in progress at the time notice is given, or vegetable gardens and fruit orchards primarily for household use, etc. Such exemptions are granted at the discretion of TWC. Landscape variances may be available in limited circumstances and where certain criteria are met. To be considered for a variance request, retail customers must have a current backflow device inspection and a completed customer service inspection. Variances allow daily watering between the hours of 7:00 – 10:00 am or 7:00 – 10:00 pm for up to two weeks. The variance application can be found on our website.

### **Wholesale and Bulk Water Customers**

The President, or his/her designee, may, in writing, grant a temporary variance to the pro rata water allocation policies provided by this Plan if it is determined that failure to grant such variance would cause an emergency condition adversely affecting the public health, welfare, or safety and if one or more of the following conditions are met:

- Compliance with this Plan cannot be technically accomplished during the duration of the water supply shortage or other condition for which the Plan is in effect.
- Alternative methods can be implemented which will achieve the same level of reduction in water use.

Persons requesting an exemption from the provisions of this Plan shall file a petition for variance with the Vice President of Operations within 5 business days after pro rata allocation has been invoked. All petitions for variances shall be reviewed by TWC. Petitions shall include the following:

- a) Name and address of the petitioner(s).
- b) Detailed statement with supporting data and information as to how the pro rata allocation of water under the policies and procedures established in the Plan adversely affects the

petitioner or what damage or harm will occur to the petitioner or others if petitioner complies with this Ordinance.

- c) Description of the relief requested.
- d) Period of time for which the variance is sought.
- e) Alternative measures the petitioner is taking or proposes to take to meet the intent of this Plan and the compliance date.
- f) Other pertinent information.

Variances granted by the TWC shall be subject to the following conditions, unless waived or modified by the TWC or its designee. No variance shall be retroactive or otherwise justify any violation of this Plan occurring prior to the issuance of the variance:

- a) Variances granted shall include a timetable for compliance.
- b) Variances granted shall expire when the Plan is no longer in effect, unless the petitioner has failed to meet specified requirements.

## **Implementation**

TWC shall establish a Conservation Committee, the Chairperson of which will be the Vice President of Operations and will be the responsible representative to implement the provisions of the Drought Contingency Plan. This committee should also review the procedures in this Plan annually so that modifications can be made to accommodate system growth.

## **Wholesale Water Customer Education**

TWC will periodically provide wholesale water customers with information about the Plan, including information about the conditions under which each stage of the Plan is to be initiated or terminated and the drought response measures to be implemented in each stage. This information will be provided by means of providing a copy of the Plan or periodically including information about the Plan with invoices for water sales.

## **Severability**

It is hereby declared to be the intention of the TWC that the sections, paragraphs, sentences, clauses, and phrases of this Plan are severable and, if any phrase, clause, sentence, paragraph, or section of this Plan shall be declared unconstitutional by the valid judgment or decree of any court of competent jurisdiction, such unconstitutionality shall not affect any of the remaining phrases, clauses, sentences, paragraphs, and sections of this Plan, since the same would not have been enacted by the TWC without the incorporation into this Plan of any such unconstitutional phrase, clause, sentence, paragraph, or section.